


- 2. SANITARY SEWER SERVICE TO THIS PLAT WILL BE PROVIDED BY PUBLIC GRAVITY SEWER EXTENSION FROM EXISTING CITY OF COLUMBIA GRAVITY SEWER MAIN AS SHOWN ON THIS PLAT. A REPORT ON THE CONDITION OF THE DEERFIELD PUMP STATION HAS BEEN SUBMITTED ALONG WITH
- 3. ALL PUBLIC GRAVITY SANITARY SEWER EXTENSIONS SHALL BE A MINIMUM OF 8" DIAMETER. SEWERS TO BE LOCATED WITHIN MINIMUM WIDTH EASEMENTS OR EASEMENTS EQUAL TO THE DEPTH OF THE SEWER IF SEWER DEPTH IS GREATER THAN 16 FEET. PUBLIC SANITARY SEWERS
- 5. A MINIMUM 10' UTILITY EASEMENT SHALL BE PROVIDED ADJACENT TO ALL PROPOSED STREETS SHOWN UNLESS LABELED OTHERWISE. UTILITY
- 7. DRAINAGE EASEMENTS SHALL HAVE A MINIMUM WIDTH OF 16' OR WIDER AS NEEDED AND SHALL BE PROVIDED TO CONTAIN THE RUNOFF IN

- 11. 10.5' OF ADDITIONAL RIGHT-OF-WAY TO BE DEDICATED FOR WYATT LANE TO BRING UP TO A TOTAL OF 33' HALF WIDTH RIGHT-OF-WAY.
- 13. BUILDING LINES SHOWN ARE 20 FEET FOR GARAGE SETBACKS PER COTTAGE STANDARDS, IF GARAGE DOES NOT FACE THE STREET SETBACK IS



EXISTING SIGNIFICANT DECIDUOUS TREE

EXISTING SIGNIFICANT CONIFEROUS TREE

CITY CASE #

ACG22-200