

THE HIGH-POWERED mini work platform

"We really appreciate the versatility of the P-Series work platform. First, the multiple possible configurations of the unit permit easy access, for example, to inside or outside corners of buildings and it is also adaptable. to other shapes. Second, it is very portable and easy to take to job sites.
In the end, the product being well made, it brings us the dependability,
stability and security we're looking for."

> - Curtis M. Thomas Project Manager Metropolitan Glass, Inc.



SERIES

The P-series is the perfect tool for smaller jobs that require high capacity or for restrained work area where most platforms can't fit, whether for new construction or restoration. With its high load capacity: 6 000 lb (2,722 kg) at 27'5" (8,4 m) length to size ratio, it is ideal for multi-residential or small commercial masonry jobs between 15' (4,5 m) and 100' (30,5 m) in height.

The P-series offers an attractive price/performance ratio. It is extremely portable and set up is both easy and very quick. In addition, it is adaptable to angle configurations and boasts a 7 feet (2,1 m) per minute climbing rate. By reducing labor costs and set-up time, the P-Series can contribute to an estimated 30% increase in productivity.



Hydro Mobile designs and manufactures mast-climbing work platforms that integrate innovative structural, mechanical, ergonomic and safety features to increase productivity, facilitate project completion, reduce worker fatigue and considerably decrease the risk of injuries.

Hydro Mobile is also dedicated to providing training, client support and technical expertise to raise end-users proficiency with its products and help elevate efficiency at the work site.

P-SERIES

- High capacity-to-size ratio
- Allows single- and twin-mast configurations, which most smaller platforms can't accommodate
- Quick assembly can be carried out by only two people
- Highly portable
- Easy and minimal maintenance

Single-mast set-up

The single mast set-up has a load bearing capacity of 6 000 lb (2,722 kg) at

the maximum 27'5" (8,4 m) set-up length,

very high for a platform of this size.




Bearing bridge adaptor

bearing capacity to 9 750 lb (4,423 kg) at the maximum 83'4" (25,4 m) set-up length.



The access bridge allows users to easily make their way to the work platform at heights of up to 70' (21,3 m).



HIGH SPEED

Fast two-person hand assembly of platform up to 28' (8,5 m) wide.

6 000 lb (2,722 kg) load capacity provided by innovative hydraulic system.

Expandable up to a 7' (2,1 m) wide work area, reducing risk of injury. 6 000 lb (2,722 kg) load capacity

HIGH-TECH

HIGH ON SAFETY

HIGH EFFICIENCY

Platform can fit in a 36" (91 cm) opening.





83'4" (25,4 m) twin-mast set-up

The P-Series includes accessories like platform extensions that can increase work space up to 7' (2,1 m) in width.

