

B 107-16
INTERNATIONAL RESIDENTIAL CODE FOR ONE- AND TWO-FAMILY DWELLINGS
AMENDMENT SHEET 2

Mandatory Envelope and Duct Sealing Requirements with Blower Door Testing

The BCCC recommended deleting the mandatory envelope and duct sealing requirements along with blower door testing, but following public testimony and further discussions with the EEC, the BCCC has determined restoration of the requirement to be in the public interest. Along with approval of IECC Amendment Sheet 2 for Bill 110-16, the following language would restore the requirements.

The Council motion would be to amend Bill 107-16 as set forth in this Amendment Sheet 2.

=====

Council Bill: B 107-16

MOTION TO AMEND:

MADE BY: _____

SECONDED BY: _____

MOTION: I move that Council Bill B 107-16 be amended as set forth on this amendment sheet.

=====

Material deleted from the original bill is shown in ~~strikeout~~; material added to original bill shown underlined.

Section 1 is amended to read as follows:

SECTION 1. Article VI of Chapter 6 of the Code of Ordinances, City of Columbia, Missouri, relating to the 2012 Edition of the International Residential Code for One- and Two-Family Dwellings, is hereby repealed and in lieu thereof a new Article VI, relating to the 2015 Edition of the International Residential Code for One- and Two-Family Dwellings, is hereby enacted reading in words and figures as follows:

...

~~N1102.4.1.2 Testing. Amend first sentence as follows: "The building or dwelling unit shall be blower door tested as deemed necessary by the building official and verified as having an air leakage..."~~

~~N1102.4.4 Rooms containing fuel burning appliances. Delete.~~

...