
MAJOR AMENDMENT TO

CP PLAN FOR DISCOVERY OFFICE PARKNORTH

LOCATED IN SECTION 32, TOWNSHIP 48N, RANGE 12W BOONE COUNTY, MISSOURI MAY, 2016

Project Location Map



Index of Drawings

SHEET NUMBER	SHEET TITLE
X0.1	COVER SHEET
X0.2	ABBREVIATIONS & NOTES
C1.0	CP PLAN DEVELOPMENT - OVERAI
C1.1	CP PLAN - LOT 1
C1.2	CP PLAN - LOT 1

RUSTY STRODTMAN ACTING VICE-CHAIRMAN ACCEPTED BY ORDINANCE OF THE CITY COUNCIL OF COLUMBIA MISSOURI THIS _____ DAY OF _____ 2016. BRIAN TREECE - MAYOR SHEELA AMIN - CITY CLERK I HEREBY CERTIFY THAT THIS ENGINEERING DOCUMENT WAS PREPAR BY ME OR UNDER MY DIRECT SUPERVISION AND THAT I AM A LICENSED PROFESSIONAL ENGINEER IN THE STATE OF MISSO

MO #30044 **EXPIRES 12-31-17**

Set No:

Project Number: 112003-1-423; CITY OF COLUMBIA #16-134

COLUMBIA Civil Engineering Group

MISSOURI ENGINEERING CORPORATION NUMBER 2013000149, EXPIRES 12-31-2017 Columbia Civil Engineering Group, LLC 4220 Philips Farm Road Columbia, MO 65201 Phone (573) 999-7821

6/30/16

0 8 OVERHEAD ELECTRIC CORPORATION STOP GAS MAIN STORM INTAKE WATER MAIN LIGHT POLE Ċ SANITARY SEWER DECIDUOUS TREE SANITARY SEWER SERVICE STORM SEWER FLARED END EASEMENT ____**______** SIGN - SETBACK GAS METER O RIGHT OF WAY TELEPHONE MANHOLE T MINOR CONTOUR TELEPHONE PEDESTAL I MAJOR CONTOUR BURIED TELEPHONE BOX 🗷 🗷 SIDEWALK SANITARY SEWER MANHOLE (S) (S) **PAVEMENT** SANITARY CLEANOUT CO. CO. STREAM BUFFER _____ UTILITY POLE BUILDING UTILITY POLE ANCHOR \leftarrow YARD LIGHT PARKING STRIPE ELECTRIC MANHOLE E E 50-YEAR FLOODPLAIN ______ ELECTRIC METER EM 100-YEAR FLOODPLAIN ______ SILT FENCE GPS/CONTROL MONUMENT @ GRADING LIMITS EXISTING SPOT STORM CULVERT XXXX.XX ELEVATION

STONE MARKER

NON-STANDARD

5/8" OR LARGER

TYPE A MONUMENT

RIGHT-OF-WAY MARKER

PROPOSED PUBLIC ROAD

PROPOSED PAVEMENT

PROPOSED SIDEWALK

PROPOSED DENTENTION

PROPERTY IRON

PROPERTY MARKER

1/2" PROPERTY IRON

APPROVED BY THE PLANNING AND ZONING COMMISSION THIS _____ DAY OF _____ 2016. RUSTY STRODTMAN ACTING VICE-CHAIRMAN ACCEPTED BY ORDINANCE OF THE CITY COUNCIL OF COLUMBIA MISSOURI THIS _____ DAY OF _____ 2016. BRIAN TREECE - MAYOR

SHEELA AMIN - CITY CLERK

OWNER & DEVELOPER

P1316, LLC 3315 BERRYWOOD SUITE 101 COLUMBIA, MISSOURI 65201 573-449-9902 DEVELOPER: TRITTENBACH DEVELOPMENT 3301 BERRYWOOD, SUITE 103 COLUMBIA, MISSOURI 65201 573-449-9902

FLOOD PLAIN NOTE

THIS TRACT IS NOT LOCATED WITHIN THE 100-YEAR FLOOD PLAIN AS SHOWN BY FLOOD INSURANCE RATE MAP #290019C095D DATED

GENERAL NOTES

1. ALL TOPOGRAPHY SHOWN ON THESE DRAWINGS IS FROM LIDAR INFORMATION OBTAINED FROM BOONE COUNTY RESOURCE MANAGEMENT AND FIELD SURVEYS.

- 2. THE TOTAL ACREAGE FOR THIS DEVELOPMENT IS 5.02 ACRES 3. MAXIMUM BUILDING HEIGHT SHALL BE NO MORE THAN 59
- 4. ALL DIMENSIONS ARE FROM BACK OF CURB UNLESS OTHERWISE NOTED.
- 5. DRIVEWAY APPROACH AND H.C. RAMPS ARE TO BE CONSTRUCTED AS PER CITY OF COLUMBIA STANDARDS.
- 6. THIS PROJECT WILL BE COMPLETED IN ONE OR MORE PHASES. 7. GAS SERVICE IS BEING EXTENDED TO THIS DEVELOPMENT BY
- AMEREN UE AT THIS TIME.
- 8. DEVELOPER WILL COORDINATE WITH COLUMBIA WATER AND LIGHT FOR THE DEISGN OF ELECTRIC SERVICE FOR THIS AREA.

ZONING AND USE NOTES

ZONING C-P

BENCHMARK INFORMATION

DNR GRS ALUMINUM DISK STAMPED BO-15. IN A 12" CONCRETE MONUMENT. FROM THE INTERSECTION OF PONDEROSA STREET AND GRINDSTONE PARKWAY (MISSOURI ROUTE AC) GO SOUTHEAST ON PONDEROSA STREET 0.86 MILES. 16' NORTHEAST OF A STEEL T-POST, 32.5' SOUTHWEST OF PONDEROSA STREET, 15.9' NORTHWEST OF A STEEL T-POST, 11.1' NORTH OF A CARSONITE WITNESS POST AT A FENCE AND 9.9' NORTHEAST OF A NAIL AND SHINER IN A FENCE POST. ELEVATION = 799.74'.

DNR GRS ALUMINUM DISK STAMPED BO-14 IN A 12" CONCRETE MONUMENT. STATION IS LOCATED AT THE MFA OIL COMPANY'S HEADQUARTERS. 32 FEET SOUTH OF THE SOUTH EDGE OF DRIVING LANE OF STADIUM BOULEVARD, 22.9' SOUTHWEST OF THE END OF CURB, 105 FEET WEST OF THE CENTER OF EAST POINT DRIVE AND 34.5' NORTH-NORTHWEST OF A CARSONITE WITNESS POST AT A RIGHT-OF-WAY MARKER. ELEVATION = 751.61'.

TOP OF CITY OF COLUMBIA SANITARY MANHOLE 7D34 = 790.18 (ADJUSTED WITH TDD IMPROVEMENTS) TOP OF CITY OF COLUMBIA SANITARY MANHOLE 7D33 = 789.27 (ADJUSTED WITH TDD IMPROVEMENTS) TOP OF CITY OF COLUMBIA SANITARY MANHOLE 7D32 = 773.66 (ADJUSTED WITH TDD IMPROVEMENTS) TOP OF CITY OF COLUMBIA SANITARY MANHOLE 7C7 = 777.97

UTILITY CONTACT INFORMATION

LOCATES: CITY OF COLUMBIA SEWER: 701 E, BROADWAY COLUMBIA, MO 65201 ALLISON ANDERSON (573) 874-7250

> AMEREN UE 3301 LEMONE IND. BLVD. COLUMBIA, MO 65201 BRUCE DARR 573-876-3030 1-800-522-7583

CATV: MEDIACOM TELEPHONE: CENTURYLINK 1211 WILKES BLVD COLUMBIA, MO 65201 JIMMY RUNYON (573) 443-1535 (855) 633-4226

ELECTRIC: COLUMBIA WATER & LIGHT 701 E. BROADWAY COLUMBIA, MO 65201 JONI TROYER (573) 874-7321

COLUMBIA WATER & LIGHT

701 E. BROADWAY

DONNIE NICHOLSON

(573) 874–7315

COLUMBIA, MO 65201

MISSOURI ONE CALL SYSTEM 1022 B NORTHEAST DRIVE

JEFFERSON CITY, MO 65109

1-800-344-7483

WATER:

625 CHERRY STREET COLUMBIA, MO 65201 DON WILSON (573) 886-3500 (573) 886-3336

LEGAL DESCRIPTION

EXISTING DESCRIPTION: ALL OF LOT 1, DISCOVERY PARK SUBDIVISION PLAT 2-B LOCATED IN SECTION 32. TOWNSHIP 48 NORTH, RANGE 12 WEST IN THE CITY OF COLUMBIA, BOONE COUNTY, MISSOURI, AS RECORDED IN PLAT BOOK 48, PAGE 45.

MO-DNR LAND DIST. PERMIT NO.

MORA02958 ISSUED ON APRIL 2, 2013

STREAM BUFFER STATEMENT

THERE ARE NO REGULATED STREAMS WITHIN OR ABUTTING THIS TRACT AS DETERMINED BY THE USGS MAP FOR COLUMBIA QUADRANGLE, BOONE COUNTY, MISSOURI AND ARTICLE X OF CHAPTER 12A OF THE CITY OF COLUMBIA CODE OF ORDINANCES.

LIGHTING

LIGHT POLES SHOWN SHALL BE FULL-CUTOFF SHOEBOX FIXTURES, INWARD AND DOWNWARD DIRECTED, TOTAL NUMBER ESTIMATED TO BE 15. MAXIMUM LIGHT POLE HEIGHT SHALL BE 20 FEET. BUILDING MOUNTED LIGHTING IS UNKNOWN AT THIS TIME. ALL OUTDOOR LIGHTING SHALL BE SHOWN ON A FUTURE LIGHTING PLAN THAT WILL COMPLY WITH CHAPTER 29-30.1 OF THE CITY OF COLUMBIA CODE OF ORDINANCES.

FUTURE INFRASTRUCTURE NOTE


FINAL SIZING OF FUTURE INFRASTRUCTURE WILL BE SIZED UPON SUBMISSION OF FINAL DESIGN PLANS.

SIGNAGE

ONE MONUMENT SIGN IS PROPOSED ALONG THE HIGHWAY 63/PONEROSA FRONTAGE, WHICH WILL BE A MAXIMUM OF 12' TALL AND NOT EXCEED 64 SQUARE FEET. ONE MONUMENT SIGN IS PROPOSED ALONG THE PHILIPS FARM ROAD FRONTAGE. WHICH WILL BE A MAXIMUM OF 12' TALL AND NOT EXCEED 64 SQUARE FEET.

DIRECTIONAL SIGNS MAY BE INSTALLED AT BUILDING ENTRANCES AS NEEDED. WALL MOUNTED SIGNAGE IS NOT KNOWN AT THIS TIME.

FINAL SIGNAGE WILL BE SUBMITTED WITH FINAL CONSTRUCTION DOCUMENTS. SIGNAGE WILL BE IN ACCORDANCE WITH CITY STANDARDS AND ORDINANCE 18043.



OVER LOPMENT 0 S FOR FRITTENBACH COLUMBIA PLAN CP

OURI

RE	EVISIO	NS	
$oldsymbol{\Lambda}_{-}$	CITY	COMMENTS	6/10/16
-			

DRAWN APPROVED MMH ISSUED FOR ----6/30/16


SHEET NAME


FIELD BOOK

ABBREVIATIONS & NOTES

PROJECT NO. 112003-1-423 CITY NO. #16-134 SHEET NO.

X0.2








 \triangle CITY COMMENTS 6/21/16

CP PLAN DEVELOPMENT -**OVERALL**

PROJECT NO. 112003-1-423 CITY NO. #16-134



A RUSTY STRODTMAN - ACTING VICE-CHAIRMAN

ACCEPTED BY ORDINANCE OF THE CITY COUNCIL OF COLUMBIA MISSOURI THIS _____ DAY OF _____ 2016.

BRIAN TREECE - MAYOR

SHEELA AMIN - CITY CLERK

	PARKING CALCULATION - LOT #1:							
	(LOT 1 REPRESENTED IN THIS CHART)							
QTY	NUM.		DESCRIPTIONS PARKING REQUIREMENT			PARKING RESULT		
1	А	_	- MULTI-USE OFFICE BUILDING A					
		-						
		_	OFFICE	1 SPACE / 300 SQ. FT.	=	102 🕰	SPACES	
1	В	_	OFFICE BUILDING	1 SPACE / 300 SQ. FT.	=	43	SPACES	
1	С	_	OFFICE BUILDING	1 SPACE / 300 SQ. FT.	=	38	SPACES	
	TOTAL SPACES REQUIRED			=	184	SPACES		
TOTAL HANDICAPPED SPACES REQUIRED (MIN.)			=	SEE BELOW	SPACES			
TOTAL HANDICAPPED SPACES PROVIDED (FOUR VAN ACCESSIBLE PROVIDED)			=	8	SPACES			
⚠ TOTAL SPACES PROPOSED (TO ALLOW FOR GEN. OFFICE MED.)			=	184	SPACES			
PROVIDED PARKING RATIO (BASED OFF OF 55,072 SF (DOCKS NEGLECTED)			=	1: 299	SPACES			
TOTAL BICYCLE SPACES REQUIRED			=	12	SPACES			
TOTAL BICYCLE SPACES PROVIDED			=	16	SPACES			


CITY OF COLUMBIA, MISSOURI PARKING REQUIREMENTS

handicapped spaces (HC) required per required parking spaces, if you have 0-25 SPA = 1 HC, 26-50 SPA = 2 HC, 51-75 SPA = 3 HC, 76-100 SPA = 4 HC, 101-150 SPA = 5 HC, 151-200 SPA = 6 HC, 201-300 SPA = 7 HC, 301-400 SPA = 8 HC, 401-500 SPA = 9 HC, 501-1000 SPA = parking spaces * 2%, if parking spaces require > 1000 SPA = 20 HC + 1 for every 100 SPA over 1000.

Van Accessible Parking Space with MIN. 96" WIDE Access Lane Requirement -1-400 SPA = 1, 401-500 SPA = 2, >501 SPA = 1/8of required handicapped parking spaces shown above.

Accessible Parking Space with MIN. 60° WIDE Access Aisle Requirement, if you have 0-25 SPA = 0, 26-50 SPA = 1, 51-75 SPA = 2, 76-100 SPA = 3, 101-150 SPA = 4, 151-200 SPA = 5, 201-300 SPA = 6, 301-400 SPA = 7, 401-500 SPA = 8, >500 SPA = 7/8 of 101-150 SPA = 101-150

Lot	70 1	Required Hanicapped Parking Spaces shown above.			
V:\Projects\112003-1 Phillips Development\dwg\CP		LABELS LEGEND			
	A	CITY OF COLUMBIA STANDARD COMMERCIAL ENTRANCE			
	B	ACCESSIBLE PARKING			
	©	5' WIDE CITY OF COLUMBIA SIDEWALK			
	(MONUMENT SIGN			
	E	LOADING DOCK			
	F	MINI COMPACTOR ENCLOSURE 14' x 20' MIN WITH 7' LOADING PAD IN FRONT OF ENCLOSURE			
	<u>©</u>	8' WIDE CITY OF COLUMBIA SIDEWALK			
	\bigoplus	8 SPA. BICYCLE RACK			
mmhall	\bigcirc	PCC WALK			



11,230.5 BLDG. SQ. FT./ACRE

PROPOSED DENSITY

MICHAEL M. HALL, P.E.

MO # 30044 EXPIRES 12-31-2017 MISSOURI ENG. CORP #2013000149 EXPIRES 12-31-2017

OVERY

REVISIONS \triangle CITY COMMENTS 6/21/16

 \triangle CITY COMMENTS 6/30/16


FIELD BOOK

SHEET NAME

SYSTEM (CENTRAL ZONE), OBTAINED FROM GPS
OBSERVATION. ROTATE CLOCKWISE TO MATCH
PLAT BEARINGS

CP PLAN - LOT 1

PROJECT NO. 112003-1-423 CITY NO. #16-134 SHEET NO.



CALCULATIONS - LOT #1:					
(LOTS 1 REPRESENTED IN THIS CHART)					
AREA					
TOTAL LOT AREA =	5.02 ACRES				
TOTAL PARKING LOT AREA =	2.28 ACRES				
TOTAL SIDEWALK AREA =	0.24 ACRES				
TOTAL BUILDING FOOTPRINT AREA =	1.29 ACRES				
TOTAL IMPERVIOUS AREA =	3.81 ACRES				
TOTAL PERVIOUS AREA =	1.21 ACRES				

LANDSCAPE COMPLIANCE		
TOTAL PARKING LOT & DRIVE AREA		99,317 SQ. FT.
TOTAL REQUIRED @ 1 TREE/4500 SQ. FT.		22 TREES
TOTAL TREES REQUIRED =		22 TREES
MEDIUM TO LARGE TREES REQUIRED (30%) =		7 TREES
TOTAL TREES PROVIDED =	(SEE PLAN)	10 LARGE
		26 TOTAL
LANDSCAPE REQUIRED (15% OF TOTAL LOT)		0.75 ACRES
LANDSCAPE PROVIDED	(SEE PLAN)	1.20 ACRES

APPROVED BY THE PLANNING AND ZONING COMMISSION THIS _____ DAY OF _____ 2016. A RUSTY STRODTMAN - ACTING VICE-CHAIRMAN ACCEPTED BY ORDINANCE OF THE CITY COUNCIL OF COLUMBIA MISSOURI THIS _____ DAY OF _____ 2016. BRIAN TREECE - MAYOR

SHEELA AMIN - CITY CLERK

NOTES:

- 1. ALL DISTURBED AREAS SHALL BE SEEDED & MULCHED AFTER CONSTRUCTION
- 2. THE LANDSCAPING BUFFERS SHALL CONTAIN NO LESS THAN 4 TYPES PF THE CATEGORIES OF PLANTING MATERIAL LISTED IN PARAGRAPH (F) OF SECTION 29-25 IN THE CODE OF ORDINANCE ONE OF WHICH MAY BE SOD OR SEEDING.
- 3. LANDSCAPING AND STORM WATER MANAGEMENT SHOWN ON THIS PLAN ARE CONCEPTUAL IN NATURE. FINAL DESIGN WILL BE COMPLETED AND SUBMITTED TO CITY STAFF FOR REVIEW FOLLOWING COUNCIL APPROVAL OF THE DEVELOPMENT PLAN.
- 4. IN ORDER TO COMPLY WITH ORDINANCE 18043 (THE DEVELOPMENT AGREEMENT FOR THIS SITE), THE STORMWATER WILL BE DIRECTED INTO LOT 3 OF PLAT 2-B, WHICH IS A EXTENDED DRY DETENTION BASIN AND HAS BEEN SIZED FOR THIS DEVELOPMENT.
- 5. THE NORTH AND WEST SIDE OF THE PROPERTY ABUTS RESIDENTIAL ZONED PROPERTY. THE NORTH AND WEST SIDES SHALL BE SCREENED WITH THE PLANTINGS SHOWN. SCREENING MUST ACHIEVE 80% OPACITY TO 8' HEIGHT IN 4 GROWING
- 6. THERE IS NO CLIMAX FOREST WITHIN THE LIMITS OF THIS LOT.
- 1. STORM WATER MANAGEMENT SHOWN ON THIS DRAWING IS CONCEPTUAL IN NATURE. FINAL DESIGN WILL BE COMPLETED AND SUBMITTED TO CITY STAFF FOR REVIEW FOLLOWING COUNCIL

STORMWATER TO BE COLLECTED

THE EAST AND SOUTH.

THROUGH VARIOUS DISCONNECTED MEANS

(SWALES, BROKEN CURBS, DISCONNECTED DOWNSPOUTS, ETC. PER ORDINANCE 18043

(THE DEVELOPMENT AGREEMENT FOR THE SITE).

STORMWATER WILL BE DISCHARGED INTO THE PIPE

STORMWATER WILL THEN BE COLLECTED AND

DISCHARGED TO THE EXISTING STORM PIPE TO

AT LOT 3, ALREADY DESIGNED AS A DRY


DETENTION BASIN AND CONSTRUCTED TO

INCLUDE DEVELOPMENT OF THIS LOT

PHILIPS FARM ROAD

(18' PVMT BACK TO BACK EA. LANE, 100' ROW)

APPROVAL OF THE DEVELOPMENT PLAN 2. IN ORDER TO COMPLY WITH ORDINANCE 18043 (THE DEVELOPMENT AGREEMENT FOR THIS SITE), THE STORM WATER WILL BE DIRECTED INTO LOT 3 OF PLAT 2-B, WHICH IS AN EXTENDED DETENTION BASIN AND HAS BEEN SIZED FOR THIS DEVELOPMENT. 2.1. EXCEPTION WILL BE THE TRUCK LOADING DOCK AREA AS SHOWN




STORMWATER NOTES:

ON THE PLANS. THE EXISTING STORM WILL BE EXTENDED AS

PROVIDED FOR THIS AREA.

NOTED. APPROPRIATE WATER QUALITY AND DETENTION WILL BE



OBSERVATION. ROTATE CLOCKWISE TO MATCH PLAT BEARINGS

DISCOVERY

MICHAEL M. HALL, P.E.

MO # 30044 EXPIRES 12-31-2017 MISSOURI ENG. CORP #2013000149 EXPIRES 12-31-2017

REVISIONS \triangle CITY COMMENTS <u>6/21/16</u>

ISSUED FOR ----FIELD BOOK

SHEET NAME

CP PLAN - LOT 1

PROJECT NO. 112003-1-423 CITY NO. #16-134 SHEET NO.