GENERAL NOTES

- 1. LOT NUMBERS ARE FOR INVENTORY PURPOSES ONLY.
- 2. SANITARY SEWER SERVICE TO THIS PLAT WILL BE PROVIDED BY PUBLIC GRAVITY SEWER EXTENSION FROM EXISTING CITY OF COLUMBIA GRAVITY SEWER MAIN, AS SHOWN ON THIS PLAT.
- 3. ALL PUBLIC GRAVITY SANITARY SEWER EXTENSIONS SHALL BE A MINIMUM OF 8" DIAMETER. SEWERS TO BE LOCATED WITHIN MINIMUM WIDTH EASEMENTS OR EASEMENTS EQUAL TO THE DEPTH OF THE SEWER IF SEWER DEPTH IS GREATER THAN 16 FEET. PUBLIC SANITARY SEWERS SHALL BE BUILT IN COMPLIANCE WITH CITY OF COLUMBIA STANDARDS AND SPECIFICATIONS.
- 4. ALL LOTS SHALL HAVE A BUILDING SETBACKS IN COMPLIANCE WITH THEIR ZONING AND SHALL BE MEASURED FROM THEIR RESPECTIVE PROPERTY LINES.
- 5. STORM SEWER PIPE, STORM INLETS, AND SANITARY SEWER LOCATIONS SHOWN ARE CONCEPTUAL IN NATURE AND WILL BE REFINED WITH THE FINAL DESIGN. 6. THE COMMON LOT CONTAINING THE STORMWATER DETENTION/BMP IS LABELED C1.
- 7. THE IRREVOCABLE INGRESS/EGRESS EASEMENT WILL BE LOCATED IN A COMMON LOT LABELED C2.
- 8. ALL LOTS SHALL BE PROHIBITED FROM DRIVEWAY ACCESS ONTO RUSSELL BOULEVARD OR ROLLINS ROAD. ALL LOTS WILL ACCESS RUSSELL BOULEVARD EXCLUSIVELY FROM THE IRREVOCABLE INGRESS/EGRESS EASEMENT SHOWN WITHIN COMMON LOT C2.
- 9. SIDEWALKS ARE REQUIRED ALONG ALL PUBLIC STREET FRONTAGE, AND THEY CURRENTLY EXIST ALONG ROLLINS ROAD AND RUSSELL BOULEVARD.


LEGEND

MH 🖸	EXISTING SANITARY MANHOLE
•	PROPOSED SANITARY MANHOLE
CO o	EXISTING SANITARY CLEANOUT
● a	PROPOSED SANITARY CLEANOUT EXISTING FIRE HYDRANT
۵۵ ۱۹	PROPOSED FIRE HYDRANT
Ē	PROPOSED ELECTRIC TRANSFORMER
G	EXISTING GAS METER
(EXISTING WATER METER
PP ···	EXISTING UTILITY POLE
∑ 2%	EXISTING WATER VALVE PROPOSED STREET GRADE
s	EXISTING SIGNIFICANT DECIDUOUS TREE EXISTING SANITARY
s	PROPOSED SANITARY
	EXISTING STORM SEWER
_ 0	PROPOSED STORM SEWER
	PROPOSED TURF SWALE
	EXISTING TREELINE
700	EXISTING CONTOUR
	EASEMENT (UTILITY, UTILITY AND DRAINAGE, OR CONSERVATION)
OE	EXISTING OVERHEAD ELECTRIC
	EXISTING WATER
W	PROPOSED WATER
	ROAD CENTERLINE
R	RADIUS
(R)	REMOVE
PB	PLAT BOOK
ВК	ВООК
PG	PAGE
(M)	MEASURED
(REC)	RECORD
E	EXISTING
S	SET
\bigcirc	IRON PIPE (1/2" UNLESS
	SPECIFIED OTHERWISE) MONUMENT
	monoment

APPROVED BY THE CITY OF COLUMBIA PLANNING AND

ZONING COMMISSION THIS ____ DAY OF

_____, 2024.



MODOT VRS NETWORK